GENERAL INFORMATION

.223 Rem ammunition produced in the company AB Giraitės ginkluotės gamykla (GGG). Ammunition is designed for target shooting. This ammunition produced in accordance with C.I.P (Permanent International Commission for the Proof of Small-arms), ISO 9001:2015 (Quality Management Systems Requirements), ISO 2859-1 (Sampling Procedures and for Inspection by Attributes Part 1: Sampling Plans indexed by Acceptable Quality Level (AQL) for lot-by-lot inspection), ISO 3951 (Sampling Procedures and Charts for Inspection by Variables for Percent Defective) requirements. Ammunition is designed for shooting .223 Rem caliber weapons. It is designed for short-term storage and not to used either in or under the extreme climatic conditions.

TECHNICAL SPECIFICATIONS

1. Table. Technical specifications



Caliber		.223 Rem		
Normal description		GPR11		
Bullet	type	FMJ		
Dullet weight	gr	55		
Bullet weight	g	3,56		
Total length	mm	57,40 _{- 0,70}		
Bullet extraction	N	≥50		
Bullet material		Jacket – CuZn10; Core – lead		
		antimony (2,2%)		
Case material		CuZn30		
Case length m		44,70 - 0,25		
Propellant	type	Double base		
Total weight g		11,55±0,45		
Primer	type	BOXER		

BALLISTIC PROPERTIES

2. Table. Bullet average velocity values, shooting from C.I.P. testing barrel

PARAMETER				BULLET MEAN VELOCITY V ₀ , m/s			
				GPR11			
Bullet mean velocity, m/s, barrel length 600 mm, twist 9" (12")				1015 ± 15			
Velocity maximum standard deviation				12,0			
DADAMETEDS	RANGE						
PARAMETERS	0	100	200	300	400	500	
Velocity (m/s)	1015	890	775	670	575	485	
Bullet path (cm)	-	0	-12	-41	-92	-173	
Energy (J)	1835	1410	1075	800	585	425	
Ballistic coefficient	0.272						

PRODUCT INFORMATION SHEET CARTRIDGE .223REM GPR11 CALIBER: .223Rem SHEET: 1/3 DRAWN BY: N.Račiūnienė CHECKED BY: R.Bendaravičius 20/02/2018 CALIBER: .223Rem SHEET: 1/3 DRAWN BY: N.Račiūnienė DATE: 20/02/2018 223 PIS GPR11 02

This document is the property of Giraites Ginkluotes Gamykla (GGG). It may not be used, reproduced or disclosed to any 3rd party without its prior formal consent

MARKING

Minimum marking of cartridge and it's packaging is done in accordance with C.I.P. 3. TESTING OF AMMUNITION requirements:

- Stamped on the base of cartridge case:
- Manufacturer's initials
- Caliber
- Stenciled on the internal carton box:
- Manufacturer's logo and name
- Quantity of cartridges in the box
- Weight of bullet
- Caliber
- Type of bullet
- Lot number
- CIP Mark
- Bullet velocity, bullet path and energy at 0, 100, 200, 300, 400 and 500 m from barrel mouth. Initial bullet velocity at barrel mouth, recalculated from V₂₄ m/s velocity.
- Ballistic coefficient
- Warnings related to the exploitation and health safety.
- Barcode
- Address of manufacture
- Recycle marks of package
- Stenciled on the external box:
- Manufacturer's logo and name
- Caliber and design
- Quantity of inner carton boxes in the outer carton box
- Quantity of cartridges in the inner carton box
- Quantity of cartridges in the outer carton box
- Safety information
- Lot number
- Weight of bullet
- Type of bullet
- Net weight
- Net explosive quantity
- Gross weight
- Volume
- Certification number of the outer box
- Proper shipping name
- Explosive hazard orange mark
- Recycle marks of package
- Address of manufacturer
- UN number
- Serial number label of box

PACKAGING

Cartridges supplied in either outer carton or metal M2A1 boxes which are palletized. The boxes and pallets should be marked according to the requirements of the customer.

PRODUCT INFORMATION SHEET CARTRIDGE .223REM GPR11 CALIBER: .223Rem

GIRAITĖS GINKLUOTĖS GAMYKLA PASSION. PERFORMANCE. PRECISION. DRAWN BY: N.Račiūnienė CHECKED BY: R.Bendaravičius DATE: 20/02/2018

223 PIS GPR11

02

SHEET:

2/3

This document is the property of Giraites Ginkluotes Gamykla (GGG). It may not be used, reproduced or disclosed to any 3rd parry without its prior formal consent

3. Table. Cartridges packaging and units

gu	ng		UNITS					
Number of packing option	Variant of packing on pallet	PACKING OPTION	Quantity of cartridges	Dimension, mm	Net weight, kg	Gross weight, kg		
		Internal colour carton box	20	22x63x113	_	_		
1		External Metal box M2A1	800	305,6x154,8x190,5	9,6	13,6		
	1.1	EUR pallet	44800	1080x1250x520	537,0	794,0		
2		Internal carton box	50	43,5x58x97	-	_		
		External Metal box M2A1	1000	305,6x154,8x190,5	12,0	15,0		
	2.1	EUR pallet	56000	950x1250x520	672,0	873,0		
3		Internal colour carton box	20	22x63x113	-	_		
		External carton box	760	321x154x183	9,1	10,8		
	3.1	EUR pallet	48640	800x1200x900	583,0	720,0		
	3.2	Strengthened EUR pallet	53200	1000x1200x810	638,0	823,0		
		Internal carton box	50	43,5x58x97	-	_		
4		External carton box	1200	321x154x183	14,4	15,0		
	4.1	EUR pallet	76800	800x1200x900	921,0	989,0		
	4.2	Strengthened EUR pallet	84000	1000x1200x810	1008,0	1117,0		

SHIPPING AND STORAGE DATA

Proper shipping name - Cartridges for weapons, inert projectile

Hazard classification code - 1.4 S UN number - 0012

PRODUCT INFORMATION SHEET



CARTRIDGE .223REM GPR11

CALIBER: .223Rem

SHEET: 3/3

DRAWN BY: N.Račiūnienė CHECKED BY: R.Bendaravičius DATE: 20/02/2018

223 PIS GPR11

02